

State of Mississippi

Department of Health – Public Health Laboratory

In accordance with the Mississippi Code of 1972, annotated.

Micro-Methods Laboratories, Inc.

6500 Sunplex Drive

Ocean Springs, Mississippi 39564

is hereby certified to perform analyses of drinking water as documented on the attached parameter list(s).


This certification does not guarantee validity of data generated, but indicates the laboratory's adherence to approved methodology, quality control, records keeping, and reporting procedures. This certificate is the property of the Mississippi State Department of Health and must be surrendered upon demand. This certificate is non-transferable and is valid only for the parameters and methodology listed on the attached parameter list(s).

Certifying Authority: Janet Hartin


Date of Issue: January 1, 2025

Date of Expiration: December 31, 2025

Certificate Number: MS00021


Microbiological Laboratory Certifying Officer

4/23/25
Date


Chemistry Laboratory Certification Officer

4/23/25
Date


Certifying Authority

4/23/25
Date



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Drinking Water Microbiology Laboratory Certification Program

2025 Laboratory Scope of Accreditation

Date Issued January 30, 2025

Micro-Methods Inc.

6500 Sunplex Drive

Ocean Springs, Mississippi 39564

EPA ID: MS00021

Standard / Analyte	Method Number	Method Approval	Certification Start Date	Certification End Date	Certification Status
Total Coliform	SM9223	Yes	January 1, 2025	December 31, 2025	Certified
E coli	SM9223	Yes	January 1, 2025	December 31, 2025	Certified
Heterotrophic Plate Count	SM 9215 B	Yes	January 1, 2025	December 31, 2025	Certified

Microbiology Laboratory Certification Officer:

Janet Hatten

Date:

4/23/25

This table of certified microbiology analytes by method must be kept with the accompanying certificate and be available for inspection at all times.

Drinking Water Chemistry Laboratory Certification Program

2025 Laboratory Scope of Accreditation

Date Issued January 30, 2025

Micro-Methods Inc.

6500 Sunplex Drive

Ocean Springs, Mississippi 39564

EPA ID: MS00021

Standard / Analyte	Method Number	Method Approval	Certification Start Date	Certification End Date	Certification Status
Metals					
Copper	EPA 200.8	Yes	January 1, 2025	December 31, 2025	Certified
Lead	EPA 200.8	Yes	January 1, 2025	December 31, 2025	Certified
Inorganics					
Nitrate as N	SM 4110 B	Yes	January 1, 2025	December 31, 2025	Certified
Nitrite as N	SM 4110 B	Yes	January 1, 2025	December 31, 2025	Certified
Support for Lead and Copper					
Conductivity	SM 2510B	Yes	January 1, 2025	December 31, 2025	Certified
pH	SM 4500H+ B	Yes	January 1, 2025	December 31, 2025	Certified

Chemistry Laboratory Certification Officer: Amanda R. Davis

Date: 4/23/25

This table of certified analytes by method must be kept with the accompanying certificate and be available for inspection at all times.